




Caulo set1IT001 #1 (gMed=274 rho12=0.712)
D-Glucose (C)




Caulo set1IT002 #2 (gMed=12 rho12=0.162)
Sucrose (C)




Caulo set1IT003 #3 (gMed=292 rho12=0.733)
D-Maltose (C)




Caulo set1IT004 #4 (gMed=261 rho12=0.731)
D-Xylose (C)




Caulo set1IT005 #5 (gMed=256 rho12=0.750)
D-Raffinose (C)




Caulo set1IT006 #6 (gMed=255 rho12=0.721)
a-Cyclodextrin (C)




Caulo set1IT007 #7 (gMed=311 rho12=0.740)
D-Cellobiose (C)




Caulo set1IT008 #8 (gMed=258 rho12=0.705)
D-Mannitol (C)




Caulo set1IT009 #9 (gMed=239 rho12=0.739)
m-Inositol (C)




Caulo set1IT010 #10 (gMed=316 rho12=0.718)
L-Glutamic (C)




Caudo set1IT011 #11 (gMed=127 rho12=0.211)
L-Glutamine (C)




Caulo set1IT012 #12 (gMed=280 rho12=0.725)
L-Proline (C)




Caulo set1IT013 #13 (gMed=436 rho12=0.467)
L-Alanine (C)




Caulo set1IT014 #14 (gMed=299 rho12=0.741)
NAG (C)




Caulo set1IT015 #15 (gMed=265 rho12=0.741)
D-Salicin (C)




Caulo set1IT016 #16 (gMed=228 rho12=0.741)
Beta-Lactose (C)




Caulo set1IT017 #17 (gMed=175 rho12=0.713)
D-Mannose (C)




Caulo set1IT018 #18 (gMed=317 rho12=0.732)
D-Glucose (C)




Caulo set1IT019 #19 (gMed=52 rho12=0.111)
Sucrose (C)




Caulo set1IT020 #20 (gMed=295 rho12=0.728)
D-Maltose (C)




Caulo set1IT021 #21 (gMed=234 rho12=0.748)
D-Xylose (C)




Caulo set1IT022 #22 (gMed=241 rho12=0.730)
D-Raffinose (C)




Cauro set1IT023 #23 (gMed=217 rho12=0.738)
a-Cyclodextrin (C)




Caulo set1IT024 #24 (gMed=248 rho12=0.720)
D-Cellobiose (C)




Caulo set1IT025 #25 (gMed=335 rho12=0.737)
D-Mannitol (C)




Caulo set1IT026 #26 (gMed=274 rho12=0.740)
m-Inositol (C)




Caulo set1IT027 #27 (gMed=332 rho12=0.694)
L-Glutamic (C)




Caulo set1IT028 #28 (gMed=159 rho12=0.247)
L-Glutamine (C)




Caulo set1IT029 #29 (gMed=334 rho12=0.740)
L-Proline (C)




Caulo set1IT030 #30 (gMed=436 rho12=0.470)
L-Alanine (C)




Cauro set1IT031 #31 (gMed=322 rho12=0.735)
NAG (C)




Caulo set1IT032 #32 (gMed=281 rho12=0.728)
D-Salicin (C)




Caulo set1IT033 #33 (gMed=244 rho12=0.750)
Beta-Lactose (C)




Caulo set1IT034 #34 (gMed=188 rho12=0.714)
D-Mannose (C)




Caulo set1IT035 #35 (gMed=334 rho12=0.735)
D-Glucose (C)




Caulo set1IT036 #36 (gMed=5 rho12=0.131)
Sucrose (C)




Caulo set1IT037 #37 (gMed=359 rho12=0.742)
D-Maltose (C)




Caulo set1IT038 #38 (gMed=291 rho12=0.757)
D-Xylose (C)




Caulo set1IT039 #39 (gMed=289 rho12=0.721)
D-Raffinose (C)




Cauro set1IT040 #40 (gMed=211 rho12=0.731)
 α -Cyclodextrin (C)




Caulo set1IT041 #41 (gMed=331 rho12=0.730)
D-Cellobiose (C)




Caulo set1IT042 #42 (gMed=273 rho12=0.694)
D-Mannitol (C)




Caulo set1IT043 #43 (gMed=270 rho12=0.667)
m-Inositol (C)




Caulo set1IT044 #44 (gMed=299 rho12=0.650)
L-Glutamic (C)




Caulo set1IT045 #45 (gMed=150 rho12=0.199)
L-Glutamine (C)




Caulo set1IT046 #46 (gMed=303 rho12=0.726)
L-Proline (C)




Caulo set1IT047 #47 (gMed=392 rho12=0.479)
L-Alanine (C)




Caulo set1IT048 #48 (gMed=197 rho12=0.725)
NAG (C)




Caulo set1IT049 #49 (gMed=294 rho12=0.736)
D-Salicin (C)



Caulo set1IT050 #50 (gMed=233 rho12=0.736)
Beta-Lactose (C)




Caulo set1IT051 #51 (gMed=227 rho12=0.712)
D-Mannose (C)




Caulo set1IT052 #52 (gMed=383 rho12=0.093)

Time0




Caulo set1IT053 #53 (gMed=393 rho12=0.048)

Time0




Cauro set1IT054 #54 (gMed=458 rho12=0.085)

Time0




Caulo set1IT055 #55 (gMed=405 rho12=0.181)


Time0




Caulo set1IT056 #56 (gMed=332 rho12=0.714)
L-Arginine (N)




Caulo set1IT057 #57 (gMed=15 rho12=0.129)
L-Histidine (N)




Caulo set1IT058 #58 (gMed=259 rho12=0.719)
L-aspartic (N)




Caulo set1IT059 #59 (gMed=290 rho12=0.732)
L-Glutamic (N)




Caulo set1IT060 #60 (gMed=24 rho12=0.132)
L-Serine (N)




Caulo set1IT061 #61 (gMed=270 rho12=0.678)
L-Asparagine (N)




Caulo set1IT062 #62 (gMed=173 rho12=0.314)
L-Glutamine (N)




Caulo set1IT063 #63 (gMed=302 rho12=0.731)
L-Proline (N)




Caulo set1IT064 #64 (gMed=279 rho12=0.434)
L-Alanine (N)




Caulo set1IT065 #65 (gMed=69 rho12=0.151)
L-Valine (N)




Caulo set1IT067 #67 (gMed=160 rho12=0.508)
L-Leucine (N)




Caulo set1IT069 #69 (gMed=134 rho12=0.647)
L-Phenylalanine (N)




Caulo set1IT070 #70 (gMed=287 rho12=0.721)
L-Tryptophan (N)




Caulo set1IT071 #71 (gMed=96 rho12=0.341)
L-Citrulline (N)




Caulo set1IT072 #72 (gMed=286 rho12=0.703)
Casamino Acids (N)




Caulo set1IT073 #73 (gMed=270 rho12=0.770)
Putrescine (N)




Caulo set1IT074 #74 (gMed=63 rho12=0.236)
N-Acetyl-D-glucosamine (N)




Caulo set1IT075 #75 (gMed=298 rho12=0.710)
D-Glucosamine Hydrochloride (N)




Caulo set1IT076 #76 (gMed=114 rho12=0.521)
Adenosine (N)




Caulo set1IT078 #78 (gMed=307 rho12=0.744)
Cytidine (N)




Caulo set1IT079 #79 (gMed=318 rho12=0.734)
Glucuronamide (N)




Caulo set1IT080 #80 (gMed=310 rho12=0.729)
Ammonium chloride (N)




Caulo set1IT081 #81 (gMed=272 rho12=0.743)
nitrate (N)




Caulo set1IT082 #82 (gMed=296 rho12=0.679)
Urea (N)




Caulo set1IT083 #83 (gMed=299 rho12=0.663)
L-Arginine (N)




Caulo set1IT084 #84 (gMed=11 rho12=0.202)
L-Histidine (N)




Caudo set1IT085 #85 (gMed=282 rho12=0.704)
L-aspartic (N)




Caulo set1IT086 #86 (gMed=301 rho12=0.722)
L-Glutamic (N)




Cauro set1IT087 #87 (gMed=23 rho12=0.196)
L-Serine (N)




Caulo set1IT088 #88 (gMed=242 rho12=0.643)
L-Asparagine (N)




Caulo set1IT089 #89 (gMed=160 rho12=0.271)
L-Glutamine (N)




Caulo set1IT090 #90 (gMed=284 rho12=0.726)
L-Proline (N)




Cauld set1IT091 #91 (gMed=259 rho12=0.439)
L-Alanine (N)




Caulo set1IT092 #92 (gMed=59 rho12=0.162)
L-Valine (N)




Caulo set1IT093 #93 (gMed=94 rho12=0.341)
L-Isoleucine (N)




Caulo set1IT094 #94 (gMed=126 rho12=0.386)
L-Leucine (N)




Caulo set1IT095 #95 (gMed=26 rho12=0.102)
L-Methionine (N)




Caudo set1IT096 #96 (gMed=124 rho12=0.629)
L-Phenylalanine (N)




Caulo set2IT001 #97 (gMed=320 rho12=0.732)
L-Tryptophan (N)




Caulo set2IT002 #98 (gMed=140 rho12=0.319)
L-Citrulline (N)




Caulo set2IT003 #99 (gMed=342 rho12=0.651)
Casamino Acids (N)




Caulo set2IT004 #100 (gMed=294 rho12=0.765)
Putrescine (N)




Caulo set2IT006 #102 (gMed=344 rho12=0.727)
D-Glucosamine Hydrochloride (N)




Caulo set2IT007 #103 (gMed=138 rho12=0.470)
Adenosine (N)




Caulo set2IT008 #104 (gMed=306 rho12=0.694)
Inosine (N)




Caulo set2IT009 #105 (gMed=314 rho12=0.648)
Cytidine (N)




Caulo set2IT010 #106 (gMed=369 rho12=0.701)
Glucuronamide (N)




Caulo set2IT011 #107 (gMed=350 rho12=0.710)
Ammonium chloride (N)



Caulo set2IT012 #108 (gMed=276 rho12=0.716)
nitrate (N)




Caulo set2IT013 #109 (gMed=384 rho12=0.657)
Urea (N)




Caulo set2IT014 #110 (gMed=523 rho12=0.039)

Time0




Cauro set2IT015 #111 (gMed=468 rho12=0.039)


Time0




Caulo set2IT016 #112 (gMed=355 rho12=0.704)
PYE pH6 copy A




Cauro set2IT017 #113 (gMed=363 rho12=0.677)
PYE pH6 copy B




Caulo set3IT001 #114 (gMed=218 rho12=0.692)
PYE with Chloramphenicol 0.0001 mg/ml




Caulo set3IT002 #115 (gMed=108 rho12=0.569)
PYE with Chloramphenicol 0.0005 mg/ml




Caulo set3IT003 #116 (gMed=220 rho12=0.661)
PYE with Tetracycline 0.00005 mg/ml




Caulo set3IT004 #117 (gMed=223 rho12=0.692)
PYE with Tetracycline 0.0001 mg/ml




Caulo set3IT005 #118 (gMed=214 rho12=0.698)
PYE with Spectinomycin 0.025 mg/ml




Caulo set3IT006 #119 (gMed=143 rho12=0.624)
PYE with Spectinomycin 0.08 mg/ml




Cauro set3IT007 #120 (gMed=257 rho12=0.692)
PYE with Carbenicillin 0.1 mg/ml




Cauro set3IT008 #121 (gMed=197 rho12=0.675)
PYE with Carbenicillin 0.25 mg/ml




Cauro set3IT009 #122 (gMed=26 rho12=0.426)
PYE with Carbenicillin 0.5 mg/ml




Caulo set3IT010 #123 (gMed=246 rho12=0.676)
PYE with Nalidixic 0.03 mg/ml




Caulo set3IT011 #124 (gMed=197 rho12=0.415)
PYE with Nalidixic 0.06 mg/ml




Cauro set3IT012 #125 (gMed=57 rho12=0.144)
PYE with Nalidixic 0.12 mg/ml




Cauro set3IT013 #126 (gMed=113 rho12=0.608)
PYE with Gentamicin 0.0005 mg/ml




Caulo set3IT014 #127 (gMed=280 rho12=0.699)
PYE




Caulo set3IT015 #128 (gMed=285 rho12=0.500)
PYE with Nickel (II) chloride 0.15 mM




Caulo set3IT016 #129 (gMed=62 rho12=0.312)
PYE with Nickel (II) chloride 0.3 mM




Caulo set3IT017 #130 (gMed=243 rho12=0.687)
PYE with Cobalt chloride 0.04 mM




Caulo set3IT018 #131 (gMed=232 rho12=0.401)
PYE with Cobalt chloride 0.08 mM




Caulo set3IT019 #132 (gMed=179 rho12=0.673)
PYE with copper (II) chloride 0.25 mM




Cauro set3IT020 #133 (gMed=294 rho12=0.651)
PYE with sodium fluoride 7.5 mM




Caulo set3IT021 #134 (gMed=234 rho12=0.479)
PYE with sodium fluoride 15 mM




Caulo set3IT022 #135 (gMed=219 rho12=0.673)
PYE with sodium fluoride 30 mM




Caulo set3IT023 #136 (gMed=163 rho12=0.629)
PYE with Paraquat dichloride 0.015 mg/ml




Caulo set3IT024 #137 (gMed=137 rho12=0.574)
PYE with Paraquat dichloride 0.03 mg/ml




Caulo set3IT025 #138 (gMed=282 rho12=0.598)
PYE with Thallium(I) acetate 0.002 mg/ml




Caulo set3IT026 #139 (gMed=73 rho12=0.426)
PYE with Thallium(I) acetate 0.004 mg/ml




Cauro set3IT027 #140 (gMed=290 rho12=0.675)
PYE with Cisplatin 0.0025 mg/ml




Cauro set3IT028 #141 (gMed=347 rho12=0.677)
PYE with Cisplatin 0.005 mg/ml




Cauro set3IT029 #142 (gMed=220 rho12=0.525)
PYE with Cisplatin 0.01 mg/ml




Caulo set3IT030 #143 (gMed=252 rho12=0.689)
PYE




Cauro set3IT031 #144 (gMed=268 rho12=0.647)
PYE with nitrite 1.25 mM




Caulo set3IT032 #145 (gMed=215 rho12=0.702)
PYE with nitrite 2.5 mM




Caulo set3IT033 #146 (gMed=124 rho12=0.629)
PYE with nitrite 5 mM




Caulo set3IT034 #147 (gMed=168 rho12=0.695)
PYE with nitrate 100 mM




Caulo set3IT035 #148 (gMed=195 rho12=0.649)
PYE with Sisomicin 0.004 mg/ml




Caulo set3IT036 #149 (gMed=222 rho12=0.639)
PYE with Chlorate 40 mM




Caulo set3IT037 #150 (gMed=291 rho12=0.711)
PYE with Chlorite 0.5 mM




Caulo set3IT038 #151 (gMed=267 rho12=0.698)
PYE with perchlorate 25 mM




Caulo set3IT039 #152 (gMed=229 rho12=0.701)
PYE with perchlorate 50 mM




Caulo set3IT040 #153 (gMed=130 rho12=0.619)
PYE with Polymyxin B sulfate 0.005 mg/ml




Caulo set3IT041 #154 (gMed=25 rho12=0.218)
PYE with Polymyxin B sulfate 0.01 mg/ml




Caulo set3IT042 #155 (gMed=97 rho12=0.647)
PYE with Chloride 100 mM




Caulo set3IT043 #156 (gMed=333 rho12=0.683)
PYE




Caulo set3IT044 #157 (gMed=176 rho12=0.698)
PYE with Benzethonium chloride 0.001 mM




Caulo set3IT045 #158 (gMed=23 rho12=0.144)
PYE with Benzethonium chloride 0.003 mM




Caulo set3IT046 #159 (gMed=15 rho12=0.061)
PYE with Benzethonium chloride 0.006 mM




Caulo set3IT047 #160 (gMed=138 rho12=0.637)
PYE with Benzalkonium Chloride 0.0001 mg/ml




Caulo set3IT048 #161 (gMed=17 rho12=0.137)
PYE with Benzalkonium Chloride 0.0005 mg/ml




Caulo set3IT049 #162 (gMed=26 rho12=0.182)
PYE with Benzalkonium Chloride 0.001 mg/ml




Cauro set3IT050 #163 (gMed=270 rho12=0.698)
PYE with Aluminum chloride 1.25 mM




Caulo set3IT051 #164 (gMed=181 rho12=0.686)
PYE with benzoic 0.2 mg/ml




Caulo set3IT052 #165 (gMed=93 rho12=0.443)
PYE with Phosphomycin 0.005 mg/ml




Caulo set3IT053 #166 (gMed=17 rho12=0.049)
PYE with Phosphomycin 0.01 mg/ml



Caulo set3IT054 #167 (gMed=9 rho12=0.253)
PYE with Bacitracin 0.03 mg/ml




Cauro set3IT055 #168 (gMed=16 rho12=0.185)
PYE with Bacitracin 0.06 mg/ml




Caulo set3IT056 #169 (gMed=228 rho12=0.690)


PYE with Dimethyl Sulfoxide 5 vol%




Caulo set3IT057 #170 (gMed=185 rho12=0.681)
PYE with Dimethyl Sulfoxide 7.5 vol%




Caulo set3IT058 #171 (gMed=238 rho12=0.684)
PYE




CaULO set3IT059 #172 (gMed=84 rho12=0.568)
PYE with Vancomycin 0.007 mg/ml




Cauro set3IT060 #173 (gMed=13 rho12=0.177)
PYE with Vancomycin 0.016 mg/ml




Caulo set3IT061 #174 (gMed=303 rho12=0.672)
PYE with A22 0.005 mg/ml




Caulo set3IT062 #175 (gMed=29 rho12=0.381)
PYE with Lomefloxacin 0.01 mM




Caulo set3IT063 #176 (gMed=124 rho12=0.652)
PYE with Doxycycline hyclate 0.0001 mg/ml




Caulo set3IT064 #177 (gMed=257 rho12=0.688)
PYE




Cauro set3IT065 #178 (gMed=248 rho12=0.695)
PYE with Chloramphenicol 0.0001 mg/ml




Caulo set3IT066 #179 (gMed=115 rho12=0.641)
PYE with Chloramphenicol 0.0005 mg/ml




Caulo set3IT067 #180 (gMed=292 rho12=0.686)
PYE with Tetracycline 0.00005 mg/ml




Caulo set3IT068 #181 (gMed=225 rho12=0.693)
PYE with Tetracycline 0.0001 mg/ml




Cauro set3IT069 #182 (gMed=223 rho12=0.698)
PYE with Spectinomycin 0.025 mg/ml




Caulo set3IT070 #183 (gMed=72 rho12=0.510)
PYE with Spectinomycin 0.08 mg/ml




Cauro set3IT071 #184 (gMed=260 rho12=0.682)
PYE with Carbenicillin 0.1 mg/ml




Caulo set3IT072 #185 (gMed=191 rho12=0.676)
PYE with Carbenicillin 0.25 mg/ml




Caulo set3IT073 #186 (gMed=33 rho12=0.431)
PYE with Carbenicillin 0.5 mg/ml




Caulo set3IT074 #187 (gMed=233 rho12=0.674)
PYE with Nalidixic 0.03 mg/ml




Caulo set3IT075 #188 (gMed=262 rho12=0.440)
PYE with Nalidixic 0.06 mg/ml




Caulo set3IT076 #189 (gMed=26 rho12=0.153)
PYE with Nalidixic 0.12 mg/ml




Cauro set3IT077 #190 (gMed=130 rho12=0.625)
PYE with Gentamicin 0.0005 mg/ml




Cauro set3IT078 #191 (gMed=250 rho12=0.638)
PYE




Caulo set3IT079 #192 (gMed=365 rho12=0.497)
PYE with Nickel (II) chloride 0.15 mM




Caulo set3IT080 #193 (gMed=71 rho12=0.388)
PYE with Nickel (II) chloride 0.3 mM




Caulo set3IT081 #194 (gMed=256 rho12=0.666)
PYE with Cobalt chloride 0.04 mM




Caulo set3IT082 #195 (gMed=242 rho12=0.427)
PYE with Cobalt chloride 0.08 mM




Caulo set3IT083 #196 (gMed=164 rho12=0.666)
PYE with copper (II) chloride 0.25 mM




Caulo set3IT084 #197 (gMed=324 rho12=0.602)
PYE with sodium fluoride 7.5 mM




Caulo set3IT085 #198 (gMed=305 rho12=0.611)
PYE with sodium fluoride 15 mM




Cauro set3IT086 #199 (gMed=246 rho12=0.670)
PYE with sodium fluoride 30 mM




Caulo set3IT087 #200 (gMed=187 rho12=0.684)
PYE with Paraquat dichloride 0.015 mg/ml




Caulo set3IT088 #201 (gMed=152 rho12=0.620)
PYE with Paraquat dichloride 0.03 mg/ml



Caulo set3IT089 #202 (gMed=230 rho12=0.685)
PYE with Thallium(I) acetate 0.002 mg/ml




Caulo set3IT090 #203 (gMed=98 rho12=0.307)
PYE with Thallium(I) acetate 0.004 mg/ml




Caulo set3IT091 #204 (gMed=406 rho12=0.032)

Time0




Cauro set3IT092 #205 (gMed=349 rho12=0.186)

Time0




Cauro set3IT093 #206 (gMed=387 rho12=0.424)

Time0




Caulo set3IT094 #207 (gMed=324 rho12=0.041)

Time0




Caulo set3IT095 #208 (gMed=326 rho12=0.180)

Time0




Caulo set3IT096 #209 (gMed=384 rho12=0.081)


Time0




Cauro set4IT001 #210 (gMed=284 rho12=0.640)
PYE with Cisplatin 0.0025 mg/ml




Cauro set4IT002 #211 (gMed=312 rho12=0.647)
PYE with Cisplatin 0.005 mg/ml




Cauro set4IT003 #212 (gMed=242 rho12=0.463)
PYE with Cisplatin 0.01 mg/ml




Caulo set4IT004 #213 (gMed=282 rho12=0.658)
PYE




Caulo set4IT005 #214 (gMed=264 rho12=0.654)
PYE with nitrite 1.25 mM




Caulo set4IT006 #215 (gMed=240 rho12=0.652)
PYE with nitrite 2.5 mM




Caulo set4IT007 #216 (gMed=107 rho12=0.539)
PYE with nitrite 5 mM




Caulo set4IT008 #217 (gMed=182 rho12=0.633)
PYE with nitrate 100 mM




Caulo set4IT009 #218 (gMed=187 rho12=0.625)
PYE with Sisomicin 0.004 mg/ml




Caulo set4IT010 #219 (gMed=305 rho12=0.654)
PYE with Chlorate 40 mM




Caulo set4IT011 #220 (gMed=246 rho12=0.676)
PYE with Chlorite 0.5 mM




Caulo set4IT012 #221 (gMed=236 rho12=0.649)
PYE with perchlorate 25 mM




Caulo set4IT013 #222 (gMed=244 rho12=0.655)
PYE with perchlorate 50 mM




Caulo set4IT014 #223 (gMed=127 rho12=0.568)
PYE with Polymyxin B sulfate 0.005 mg/ml




Caulo set4IT015 #224 (gMed=7 rho12=0.456)
PYE with Polymyxin B sulfate 0.01 mg/ml




Caulo set4IT016 #225 (gMed=153 rho12=0.577)
PYE with Chloride 100 mM




Caulo set4IT017 #226 (gMed=299 rho12=0.640)
PYE




Caulo set4IT018 #227 (gMed=162 rho12=0.637)
PYE with Benzethonium chloride 0.001 mM




Caulo set4IT019 #228 (gMed=16 rho12=0.272)
PYE with Benzethonium chloride 0.003 mM




Caulo set4IT020 #229 (gMed=6 rho12=0.256)
PYE with Benzethonium chloride 0.006 mM




Caulo set4IT021 #230 (gMed=132 rho12=0.613)
PYE with Benzalkonium Chloride 0.0001 mg/ml




Caulo set4IT022 #231 (gMed=12 rho12=0.341)
PYE with Benzalkonium Chloride 0.0005 mg/ml




Caulo set4IT023 #232 (gMed=7 rho12=0.125)
PYE with Benzalkonium Chloride 0.001 mg/ml




Caulo set4IT024 #233 (gMed=233 rho12=0.646)
PYE with Aluminum chloride 1.25 mM




Caulo set4IT025 #234 (gMed=196 rho12=0.643)
PYE with benzoic 0.2 mg/ml




CaULO set4IT026 #235 (gMed=66 rho12=0.313)
PYE with Phosphomycin 0.005 mg/ml



Caulo set4IT027 #236 (gMed=6 rho12=0.006)
PYE with Phosphomycin 0.01 mg/ml




Cauro set4IT028 #237 (gMed=4 rho12=0.517)
PYE with Bacitracin 0.03 mg/ml




Caulo set4IT029 #238 (gMed=3 rho12=0.539)


PYE with Bacitracin 0.06 mg/ml




Caulo set4IT030 #239 (gMed=225 rho12=0.643)
PYE with Dimethyl Sulfoxide 5 vol%




Caulo set4IT031 #240 (gMed=187 rho12=0.617)
PYE with Dimethyl Sulfoxide 7.5 vol%



Caulo set4IT032 #241 (gMed=258 rho12=0.640)
PYE




Caulo set4IT033 #242 (gMed=69 rho12=0.401)
PYE with Vancomycin 0.007 mg/ml




Caulo set4IT034 #243 (gMed=7 rho12=0.171)


PYE with Vancomycin 0.016 mg/ml




Caulo set4IT035 #244 (gMed=296 rho12=0.615)
PYE with A22 0.005 mg/ml




Caulo set4IT036 #245 (gMed=17 rho12=0.243)
PYE with Lomefloxacin 0.01 mM



Caulo set4IT037 #246 (gMed=220 rho12=0.624)
PYE with Doxycycline hyclate 0.0001 mg/ml




Caulo set4IT038 #247 (gMed=285 rho12=0.632)
PYE



Cauro set4IT039 #248 (gMed=400 rho12=0.067)

Time0



Cauro set4IT040 #249 (gMed=360 rho12=0.067)

Time0

