




**Pedo557 set1IT001 #1 (gMed=276 rho12=0.417)**  
**R2A with Nickel (II) chloride 0.3 mM**




**Pedo557 set1IT002 #2 (gMed=354 rho12=0.256)**  
**R2A with Cobalt chloride 0.04 mM**




**Pedo557 set1IT003 #3 (gMed=325 rho12=0.426)**  
**R2A with Cobalt chloride 0.08 mM**




**Pedo557 set1IT004 #4 (gMed=31 rho12=0.021)**  
**R2A with Cobalt chloride 0.16 mM**




**Pedo557 set1IT005 #5 (gMed=351 rho12=0.358)**  
**R2A with copper (II) chloride 0.16 mM**




**Pedo557 set1IT006 #6 (gMed=12 rho12=0.066)**  
**R2A with copper (II) chloride 0.32 mM**




**Pedo557 set1IT007 #7 (gMed=350 rho12=0.137)**  
**R2A with sodium fluoride 12.5 mM**




**Pedo557 set1IT008 #8 (gMed=295 rho12=0.287)**  
**R2A with sodium fluoride 25 mM**




**Pedo557 set1IT009 #9 (gMed=240 rho12=0.065)**  
**R2A with sodium fluoride 50 mM**




**Pedo557 set1IT010 #10 (gMed=350 rho12=0.287)**  
**R2A with Paraquat dichloride 0.001 mg/ml**




**Pedo557 set1IT011 #11 (gMed=188 rho12=0.446)**  
**R2A with Paraquat dichloride 0.003 mg/ml**




**Pedo557 set1IT012 #12 (gMed=86 rho12=0.172)**  
**R2A with Thallium(I) acetate 0.0001 mg/ml**




**Pedo557 set1IT013 #13 (gMed=32 rho12=0.065)**  
**R2A with Thallium(I) acetate 0.0005 mg/ml**




**Pedo557 set1IT014 #14 (gMed=106 rho12=0.100)**  
**R2A with Thallium(I) acetate 0.001 mg/ml**




Pedo557 set1IT015 #15 (gMed=333 rho12=0.207)  
R2A with Cisplatin 0.005 mg/ml




Pedo557 set1IT016 #16 (gMed=312 rho12=0.251)  
R2A with Cisplatin 0.01 mg/ml




**Pedo557 set1IT017 #17 (gMed=314 rho12=0.399)**  
**R2A with Zinc 0.08 mM**




Pedo557 set1IT018 #18 (gMed=298 rho12=0.349)  
R2A with Zinc 0.2 mM




Pedo557 set1IT019 #19 (gMed=309 rho12=0.130)  
R2A




**Pedo557 set1IT020 #20 (gMed=308 rho12=0.197)**  
**R2A with nitrite 1.5 mM**




**Pedo557 set1IT021 #21 (gMed=263 rho12=0.182)**  
**R2A with nitrite 3 mM**




**Pedo557 set1IT022 #22 (gMed=227 rho12=0.129)**  
**R2A with nitrite 6 mM**




**Pedo557 set1IT023 #23 (gMed=295 rho12=0.175)**  
**R2A with nitrate 100 mM**




Pedo557 set1IT024 #24 (gMed=278 rho12=0.196)  
R2A with nitrate 200 mM




Pedo557 set1IT025 #25 (gMed=329 rho12=0.486)  
R2A with Sisomicin 0.008 mg/ml




**Pedo557 set1IT026 #26 (gMed=11 rho12=0.078)**  
**R2A with Sisomicin 0.016 mg/ml**




Pedo557 set1IT027 #27 (gMed=325 rho12=0.160)  
R2A with Chlorite 0.08 mM




**Pedo557 set1IT028 #28 (gMed=293 rho12=0.090)**  
**R2A with Chlorite 0.2 mM**




**Pedo557 set1IT029 #29 (gMed=350 rho12=0.169)**  
**R2A with perchlorate 6.25 mM**




Pedo557 set1IT030 #30 (gMed=346 rho12=0.174)  
R2A with perchlorate 12.5 mM




Pedo557 set1IT031 #31 (gMed=390 rho12=0.175)  
R2A with perchlorate 25 mM



**Pedo557 set1IT032 #32 (gMed=308 rho12=0.453)**  
**R2A with Polymyxin B sulfate 0.016 mg/ml**




**Pedo557 set1IT033 #33 (gMed=301 rho12=0.305)**  
**R2A with Chloride 300 mM**




Pedo557 set1IT034 #34 (gMed=282 rho12=0.140)

R2A




**Pedo557 set1IT035 #35 (gMed=313 rho12=0.453)**  
**R2A with Nickel (II) chloride 0.3 mM**




Pedo557 set1IT036 #36 (gMed=295 rho12=0.254)


R2A with Cobalt chloride 0.04 mM




**Pedo557 set1IT037 #37 (gMed=352 rho12=0.420)**  
**R2A with Cobalt chloride 0.08 mM**




**Pedo557 set1IT038 #38 (gMed=18 rho12=0.008)**  
**R2A with Cobalt chloride 0.16 mM**




**Pedo557 set1IT039 #39 (gMed=328 rho12=0.304)**  
**R2A with copper (II) chloride 0.16 mM**




**Pedo557 set1IT040 #40 (gMed=27 rho12=0.010)**  
**R2A with copper (II) chloride 0.32 mM**




**Pedo557 set1IT041 #41 (gMed=358 rho12=0.158)**  
**R2A with sodium fluoride 12.5 mM**




**Pedo557 set1IT042 #42 (gMed=285 rho12=0.276)**  
**R2A with sodium fluoride 25 mM**




**Pedo557 set1IT043 #43 (gMed=286 rho12=0.021)**  
**R2A with sodium fluoride 50 mM**




**Pedo557 set1IT044 #44 (gMed=327 rho12=0.312)**  
**R2A with Paraquat dichloride 0.001 mg/ml**




**Pedo557 set1IT045 #45 (gMed=165 rho12=0.459)**  
**R2A with Paraquat dichloride 0.003 mg/ml**




Pedo557 set1IT046 #46 (gMed=134 rho12=0.192)  
R2A with Thallium(I) acetate 0.0001 mg/ml




**Pedo557 set1IT047 #47 (gMed=49 rho12=0.113)**  
**R2A with Thallium(I) acetate 0.0005 mg/ml**




Pedo557 set1IT048 #48 (gMed=171 rho12=0.163)  
R2A with Thallium(I) acetate 0.001 mg/ml




Pedo557 set1IT049 #49 (gMed=349 rho12=0.196)  
R2A with Cisplatin 0.005 mg/ml




Pedo557 set1IT050 #50 (gMed=326 rho12=0.231)  
R2A with Cisplatin 0.01 mg/ml




**Pedo557 set1IT051 #51 (gMed=309 rho12=0.359)**  
**R2A with Zinc 0.08 mM**




Pedo557 set1IT052 #52 (gMed=281 rho12=0.304)  
R2A with Zinc 0.2 mM




Pedo557 set1IT053 #53 (gMed=333 rho12=0.134)  
R2A




**Pedo557 set1IT054 #54 (gMed=382 rho12=0.218)**  
**R2A with nitrite 1.5 mM**




**Pedo557 set1IT055 #55 (gMed=342 rho12=0.172)**  
**R2A with nitrite 3 mM**




**Pedo557 set1IT056 #56 (gMed=316 rho12=0.134)**  
**R2A with nitrite 6 mM**




Pedo557 set1IT057 #57 (gMed=286 rho12=0.164)  
R2A with nitrate 100 mM




Pedo557 set1IT058 #58 (gMed=289 rho12=0.203)  
R2A with nitrate 200 mM




**Pedo557 set1IT059 #59 (gMed=273 rho12=0.450)**  
**R2A with Sisomicin 0.008 mg/ml**




**Pedo557 set1IT060 #60 (gMed=10 rho12=0.080)**  
**R2A with Sisomicin 0.016 mg/ml**




Pedo557 set1IT061 #61 (gMed=328 rho12=0.140)  
R2A with Chlorite 0.08 mM




**Pedo557 set1IT062 #62 (gMed=306 rho12=0.078)**  
**R2A with Chlorite 0.2 mM**




Pedo557 set1IT063 #63 (gMed=318 rho12=0.166)  
R2A with perchlorate 6.25 mM




Pedo557 set1IT064 #64 (gMed=326 rho12=0.176)  
R2A with perchlorate 12.5 mM




**Pedo557 set1IT065 #65 (gMed=341 rho12=0.191)**  
**R2A with perchlorate 25 mM**




**Pedo557 set1IT066 #66 (gMed=326 rho12=0.423)**  
**R2A with Polymyxin B sulfate 0.016 mg/ml**



Pedo557 set1IT067 #67 (gMed=383 rho12=0.285)  
R2A with Chloride 300 mM




Pedo557 set1IT068 #68 (gMed=294 rho12=0.149)  
R2A




Pedo557 set1IT069 #69 (gMed=319 rho12=-0.022)

Time0




**Pedo557 set1IT070 #70 (gMed=310 rho12=-0.021)**  
**Time0**




Pedo557 set1IT071 #71 (gMed=350 rho12=-0.012)


Time0




**Pedo557 set1IT072 #72 (gMed=320 rho12=0.187)**  
**R2A with Chloramphenicol 0.001 mg/ml**




Pedo557 set1IT073 #73 (gMed=309 rho12=0.206)  
R2A with Chloramphenicol 0.005 mg/ml




**Pedo557 set1IT074 #74 (gMed=312 rho12=0.299)**  
**R2A with Tetracycline 0.0005 mg/ml**




Pedo557 set1IT075 #75 (gMed=333 rho12=0.222)  
R2A with Spectinomycin 0.025 mg/ml




**Pedo557 set1IT076 #76 (gMed=325 rho12=0.363)**  
**R2A with Spectinomycin 0.05 mg/ml**




Pedo557 set1IT077 #77 (gMed=336 rho12=0.357)  
R2A with Carbenicillin 0.2 mg/ml




**Pedo557 set1IT078 #78 (gMed=17 rho12=0.091)**  
**R2A with Carbenicillin 0.4 mg/ml**




**Pedo557 set1IT079 #79 (gMed=14 rho12=0.084)**  
**R2A with Carbenicillin 0.6 mg/ml**



**Pedo557 set1IT080 #80 (gMed=13 rho12=0.021)**  
**R2A with Carbenicillin 0.8 mg/ml**




Pedo557 set1IT081 #81 (gMed=303 rho12=0.327)  
R2A with Nalidixic 0.008 mg/ml




Pedo557 set1IT082 #82 (gMed=302 rho12=0.449)


R2A with Nalidixic 0.016 mg/ml




**Pedo557 set1IT083 #83 (gMed=270 rho12=0.440)**  
**R2A with Nalidixic 0.03 mg/ml**




**Pedo557 set1IT084 #84 (gMed=14 rho12=0.181)**  
**R2A with Gentamicin 0.005 mg/ml**




Pedo557 set1IT085 #85 (gMed=171 rho12=0.098)  
R2A




**Pedo557 set1IT086 #86 (gMed=22 rho12=0.115)**  
**R2A with Benzethonium chloride 0.003 mM**



**Pedo557 set1IT087 #87 (gMed=4 rho12=0.147)**  
**R2A with Benzethonium chloride 0.006 mM**




**Pedo557 set1IT088 #88 (gMed=5 rho12=0.102)**  
**R2A with Benzalkonium Chloride 0.004 mg/ml**




Pedo557 set1IT089 #89 (gMed=314 rho12=0.349)


R2A with Aluminum chloride 1 mM




**Pedo557 set1IT090 #90 (gMed=320 rho12=0.129)**  
**R2A with benzoic 0.1 mg/ml**




**Pedo557 set1IT091 #91 (gMed=347 rho12=0.202)**  
**R2A with Fusidic 0.001 mg/ml**




**Pedo557 set1IT092 #92 (gMed=247 rho12=0.088)**  
**R2A with Fusidic 0.003 mg/ml**




**Pedo557 set1IT093 #93 (gMed=294 rho12=0.207)**  
**R2A with Dimethyl Sulfoxide 5 vol%**




**Pedo557 set1IT094 #94 (gMed=271 rho12=0.117)**  
**R2A with Dimethyl Sulfoxide 7.5 vol%**




Pedo557 set1IT095 #95 (gMed=287 rho12=0.137)  
R2A



**Pedo557 set1IT096 #96 (gMed=145 rho12=0.476)**  
**R2A with Vancomycin 0.06 mg/ml**




Pedo557 set2IT002 #98 (gMed=366 rho12=0.326)  
R2A with A22 0.04 mg/ml




Pedo557 set2IT003 #99 (gMed=306 rho12=0.237)


R2A with Lomefloxacin 0.1 mM




**Pedo557 set2IT004 #100 (gMed=363 rho12=0.178)**  
**R2A with D-Cycloserine 0.12 mg/ml**




**Pedo557 set2IT005 #101 (gMed=329 rho12=0.355)**  
**R2A with D-Cycloserine 0.2 mg/ml**




**Pedo557 set2IT006 #102 (gMed=375 rho12=0.245)**  
**R2A with Neomycin 0.004 mg/ml**




Pedo557 set2IT007 #103 (gMed=23 rho12=0.136)  
R2A with Neomycin 0.008 mg/ml




Pedo557 set2IT008 #104 (gMed=300 rho12=0.128)  
R2A




**Pedo557 set2IT009 #105 (gMed=274 rho12=0.148)**  
**R2A with Chloramphenicol 0.001 mg/ml**




**Pedo557 set2IT010 #106 (gMed=363 rho12=0.198)**  
**R2A with Chloramphenicol 0.005 mg/ml**




**Pedo557 set2IT011 #107 (gMed=291 rho12=0.257)**  
**R2A with Tetracycline 0.0005 mg/ml**




**Pedo557 set2IT012 #108 (gMed=187 rho12=0.163)**  
**R2A with Spectinomycin 0.025 mg/ml**




**Pedo557 set2IT013 #109 (gMed=353 rho12=0.319)**  
**R2A with Spectinomycin 0.05 mg/ml**




**Pedo557 set2IT014 #110 (gMed=377 rho12=0.354)**  
**R2A with Carbenicillin 0.2 mg/ml**




Pedo557 set2IT015 #111 (gMed=24 rho12=0.088)  
R2A with Carbenicillin 0.4 mg/ml




Pedo557 set2IT016 #112 (gMed=12 rho12=0.065)  
R2A with Carbenicillin 0.6 mg/ml




**Pedo557 set2IT017 #113 (gMed=12 rho12=0.059)**  
**R2A with Carbenicillin 0.8 mg/ml**




**Pedo557 set2IT018 #114 (gMed=343 rho12=0.308)**  
**R2A with Nalidixic 0.008 mg/ml**




**Pedo557 set2IT019 #115 (gMed=310 rho12=0.440)**  
**R2A with Nalidixic 0.016 mg/ml**




**Pedo557 set2IT020 #116 (gMed=292 rho12=0.446)**  
**R2A with Nalidixic 0.03 mg/ml**




**Pedo557 set2IT021 #117 (gMed=9 rho12=0.138)**  
**R2A with Gentamicin 0.005 mg/ml**




Pedo557 set2IT022 #118 (gMed=275 rho12=0.151)  
R2A




**Pedo557 set2IT023 #119 (gMed=151 rho12=0.113)**  
**R2A with Benzethonium chloride 0.003 mM**




**Pedo557 set2IT024 #120 (gMed=6 rho12=0.100)**  
**R2A with Benzethonium chloride 0.006 mM**




**Pedo557 set2IT025 #121 (gMed=7 rho12=0.135)**  
**R2A with Benzalkonium Chloride 0.004 mg/ml**




**Pedo557 set2IT026 #122 (gMed=334 rho12=0.392)**  
**R2A with Aluminum chloride 1 mM**




**Pedo557 set2IT027 #123 (gMed=332 rho12=0.152)**  
**R2A with benzoic 0.1 mg/ml**




**Pedo557 set2IT028 #124 (gMed=324 rho12=0.172)**  
**R2A with Fusidic 0.001 mg/ml**




**Pedo557 set2IT029 #125 (gMed=319 rho12=0.131)**  
**R2A with Fusidic 0.003 mg/ml**




**Pedo557 set2IT030 #126 (gMed=366 rho12=0.192)**  
**R2A with Dimethyl Sulfoxide 5 vol%**




**Pedo557 set2IT031 #127 (gMed=378 rho12=0.137)**  
**R2A with Dimethyl Sulfoxide 7.5 vol%**




Pedo557 set2IT032 #128 (gMed=313 rho12=0.129)  
R2A




**Pedo557 set2IT033 #129 (gMed=194 rho12=0.550)**  
**R2A with Vancomycin 0.06 mg/ml**




**Pedo557 set2IT034 #130 (gMed=294 rho12=0.194)**  
**R2A with A22 0.02 mg/ml**




**Pedo557 set2IT035 #131 (gMed=315 rho12=0.351)**  
**R2A with A22 0.04 mg/ml**




Pedo557 set2IT036 #132 (gMed=320 rho12=0.242)  
R2A with Lomefloxacin 0.1 mM




**Pedo557 set2IT037 #133 (gMed=392 rho12=0.206)**  
**R2A with D-Cycloserine 0.12 mg/ml**




**Pedo557 set2IT038 #134 (gMed=345 rho12=0.392)**  
**R2A with D-Cycloserine 0.2 mg/ml**




**Pedo557 set2IT039 #135 (gMed=361 rho12=0.239)**  
**R2A with Neomycin 0.004 mg/ml**




**Pedo557 set2IT040 #136 (gMed=17 rho12=0.102)**  
**R2A with Neomycin 0.008 mg/ml**



Pedo557 set2IT041 #137 (gMed=353 rho12=0.146)  
R2A




Pedo557 set2IT042 #138 (gMed=299 rho12=0.008)  
Time0




Pedo557 set2IT043 #139 (gMed=336 rho12=-0.006)


Time0




**Pedo557 set2IT044 #140 (gMed=346 rho12=0.017)**  
**Time0**




Pedo557 set2IT045 #141 (gMed=312 rho12=0.284)  
Sucrose (C)




Pedo557 set2IT046 #142 (gMed=340 rho12=0.403)  
L-Arabinose (C)




Pedo557 set2IT047 #143 (gMed=312 rho12=0.233)  
D-Maltose (C)




Pedo557 set2IT048 #144 (gMed=306 rho12=0.282)  
D-Galactose (C)




Pedo557 set2IT049 #145 (gMed=361 rho12=0.269)  
D-Cellobiose (C)




Pedo557 set2IT050 #146 (gMed=346 rho12=0.268)  
D-Mannitol (C)




Pedo557 set2IT051 #147 (gMed=308 rho12=0.472)  
D-Galacturonic Acid (C)




**Pedo557 set2IT052 #148 (gMed=320 rho12=0.382)**  
**D-Trehalose (C)**




Pedo557 set2IT053 #149 (gMed=334 rho12=0.359)  
NAG (C)




**Pedo557 set2IT054 #150 (gMed=341 rho12=0.175)**  
**D-Glucosamine Hydrochloride (C)**




Pedo557 set2IT055 #151 (gMed=315 rho12=0.422)  
D-Salicin (C)




Pedo557 set2IT056 #152 (gMed=357 rho12=0.350)  
Beta-Lactose (C)




Pedo557 set2IT057 #153 (gMed=315 rho12=0.273)  
D-Mannose (C)




Pedo557 set2IT058 #154 (gMed=310 rho12=0.305)  
Sucrose (C)




Pedo557 set2IT059 #155 (gMed=322 rho12=0.395)  
L-Arabinose (C)




Pedo557 set2IT060 #156 (gMed=292 rho12=0.209)  
D-Maltose (C)




Pedo557 set2IT061 #157 (gMed=356 rho12=0.286)  
D-Galactose (C)




Pedo557 set2IT062 #158 (gMed=353 rho12=0.276)  
D-Cellobiose (C)




Pedo557 set2IT063 #159 (gMed=39 rho12=0.134)  
D-Mannitol (C)




Pedo557 set2IT064 #160 (gMed=320 rho12=0.448)  
D-Galacturonic Acid (C)




Pedo557 set2IT065 #161 (gMed=330 rho12=0.402)  
D-Trehalose (C)




Pedo557 set2IT066 #162 (gMed=367 rho12=0.371)  
NAG (C)




**Pedo557 set2IT067 #163 (gMed=427 rho12=0.252)**  
**D-Glucosamine Hydrochloride (C)**



Pedo557 set2IT068 #164 (gMed=305 rho12=0.453)  
D-Salicin (C)




Pedo557 set2IT070 #166 (gMed=318 rho12=0.244)  
D-Mannose (C)




Pedo557 set2IT071 #167 (gMed=401 rho12=-0.018)

Time0




Pedo557 set2IT072 #168 (gMed=351 rho12=-0.003)  
Time0




Pedo557 set2IT073 #169 (gMed=352 rho12=-0.016)


Time0




**Pedo557 set2IT074 #170 (gMed=348 rho12=0.186)**  
**L-Arginine (N)**




**Pedo557 set2IT075 #171 (gMed=347 rho12=0.422)**  
**L-Histidine (N)**



Pedo557 set2IT076 #172 (gMed=340 rho12=0.225)  
L-Lysine (N)




Pedo557 set2IT077 #173 (gMed=348 rho12=0.241)  
L-aspartic (N)







Pedo557 set2IT079 #175 (gMed=339 rho12=0.328)  
L-Serine (N)




Pedo557 set2IT080 #176 (gMed=307 rho12=0.279)  
L-Asparagine (N)




Pedo557 set2IT081 #177 (gMed=326 rho12=0.405)  
L-Glutamine (N)




Pedo557 set2IT082 #178 (gMed=355 rho12=0.363)  
Glycine (N)




Pedo557 set2IT083 #179 (gMed=312 rho12=0.153)  
L-Proline (N)




Pedo557 set2IT084 #180 (gMed=372 rho12=0.263)  
L-Alanine (N)




Pedo557 set2IT085 #181 (gMed=213 rho12=0.361)  
L-Valine (N)




Pedo557 set2IT086 #182 (gMed=307 rho12=0.256)  
L-Isoleucine (N)




Pedo557 set2IT087 #183 (gMed=263 rho12=0.230)  
L-Leucine (N)




Pedo557 set2IT088 #184 (gMed=305 rho12=0.373)  
L-Phenylalanine (N)




Pedo557 set2IT089 #185 (gMed=310 rho12=0.347)  
Gly-DL-Asp (N)




Pedo557 set2IT090 #186 (gMed=307 rho12=0.198)  
L-Citrulline (N)




**Pedo557 set2IT091 #187 (gMed=354 rho12=0.368)**  
**Casamino Acids (N)**




Pedo557 set2IT094 #190 (gMed=279 rho12=0.201)  
Cytidine (N)




Pedo557 set2IT095 #191 (gMed=295 rho12=0.265)  
Glucuronamide (N)




**Pedo557 set3IT001 #193 (gMed=322 rho12=0.316)**  
**nitrate (N)**




**Pedo557 set3IT002 #194 (gMed=381 rho12=0.157)**  
**L-Arginine (N)**



Pedo557 set3IT003 #195 (gMed=359 rho12=0.402)  
L-Histidine (N)




Pedo557 set3IT004 #196 (gMed=384 rho12=0.188)  
L-Lysine (N)







Pedo557 set3IT006 #198 (gMed=406 rho12=0.179)  
L-Glutamic (N)




Pedo557 set3IT007 #199 (gMed=351 rho12=0.338)  
L-Serine (N)




Pedo557 set3IT008 #200 (gMed=288 rho12=0.246)  
L-Asparagine (N)




**Pedo557 set3IT010 #202 (gMed=388 rho12=0.385)**  
**Glycine (N)**




Pedo557 set3IT011 #203 (gMed=202 rho12=0.165)  
L-Proline (N)




Pedo557 set3IT012 #204 (gMed=321 rho12=0.215)  
L-Alanine (N)




Pedo557 set3IT013 #205 (gMed=394 rho12=0.390)  
L-Valine (N)




Pedo557 set3IT014 #206 (gMed=386 rho12=0.214)  
L-Isoleucine (N)




Pedo557 set3IT015 #207 (gMed=369 rho12=0.254)  
L-Leucine (N)




Pedo557 set3IT016 #208 (gMed=354 rho12=0.345)  
L-Phenylalanine (N)




Pedo557 set3IT017 #209 (gMed=373 rho12=0.380)  
Gly-DL-Asp (N)




Pedo557 set3IT018 #210 (gMed=340 rho12=0.155)  
L-Citrulline (N)




**Pedo557 set3IT019 #211 (gMed=318 rho12=0.292)**  
**Casamino Acids (N)**




**Pedo557 set3IT020 #212 (gMed=316 rho12=0.255)**  
**N-Acetyl-D-glucosamine (N)**




**Pedo557 set3IT021 #213 (gMed=302 rho12=0.241)**  
**D-Glucosamine Hydrochloride (N)**




Pedo557 set3IT022 #214 (gMed=326 rho12=0.214)  
Cytidine (N)



**Pedo557 set3IT023 #215 (gMed=312 rho12=0.279)**  
**Glucuronamide (N)**




Pedo557 set3IT025 #217 (gMed=374 rho12=0.301)  
nitrate (N)




Pedo557 set3IT026 #218 (gMed=369 rho12=0.017)

Time0



Pedo557 set3IT027 #219 (gMed=402 rho12=0.005)

Time0



Pedo557 set3IT028 #220 (gMed=330 rho12=0.028)

Time0

