




pseudo6_N2E2 set1IT001 #1 (gMed=98 rho12=0.206)
D-Glucose (C)




pseudo6_N2E2 set1IT002 #2 (gMed=39 rho12=0.247)
D-Fructose (C)




pseudo6_N2E2 set1IT003 #3 (gMed=119 rho12=0.232)
Sucrose (C)




pseudo6_N2E2 set1IT004 #4 (gMed=115 rho12=0.179)
L-Arabinose (C)




pseudo6_N2E2 set1IT005 #5 (gMed=113 rho12=0.261)
D-Xylose (C)




pseudo6_N2E2 set1IT006 #6 (gMed=90 rho12=0.348)
D-Galactose (C)




pseudo6_N2E2 set1IT007 #7 (gMed=116 rho12=0.170)
a-Ketoglutaric (C)




pseudo6_N2E2 set1IT008 #8 (gMed=124 rho12=0.190)
D-Gluconic Acid (C)




pseudo6_N2E2 set1IT009 #9 (gMed=231 rho12=0.223)
D-Lactate (C)




pseudo6_N2E2 set1IT010 #10 (gMed=256 rho12=0.170)
L-Lactate (C)




pseudo6_N2E2 set1IT011 #11 (gMed=230 rho12=0.207)
D,L-Lactate (C)




pseudo6_N2E2 set1IT012 #12 (gMed=260 rho12=0.177)
pyruvate (C)




pseudo6_N2E2 set1IT013 #13 (gMed=282 rho12=0.189)
succinate (C)




pseudo6_N2E2 set1IT014 #14 (gMed=235 rho12=0.295)
propionate (C)




pseudo6_N2E2 set1IT015 #15 (gMed=42 rho12=0.163)
D-Mannitol (C)




pseudo6_N2E2 set1IT016 #16 (gMed=210 rho12=0.043)
4-Hydroxybenzoic Acid (C)




pseudo6_N2E2 set1IT017 #17 (gMed=262 rho12=0.337)
m-Inositol (C)




pseudo6_N2E2 set1IT018 #18 (gMed=243 rho12=0.244)
Glycerol (C)




pseudo6_N2E2 set1IT019 #19 (gMed=236 rho12=0.202)
D-Sorbitol (C)




pseudo6_N2E2 set1IT020 #20 (gMed=272 rho12=0.204)
Tween 20 (C)




pseudo6_N2E2 set1IT021 #21 (gMed=257 rho12=0.154)
L-Malic (C)




pseudo6_N2E2 set1IT022 #22 (gMed=264 rho12=0.319)
L-Histidine (C)




pseudo6_N2E2 set1IT023 #23 (gMed=228 rho12=0.176)
L-Glutamine (C)




pseudo6_N2E2 set1IT025 #25 (gMed=278 rho12=0.292)
L-Alanine (C)




pseudo6_N2E2 set1IT026 #26 (gMed=276 rho12=0.259)
L-Isoleucine (C)




pseudo6_N2E2 set1IT027 #27 (gMed=277 rho12=0.221)
L-Phenylalanine (C)




pseudo6_N2E2 set1IT028 #28 (gMed=272 rho12=0.233)
D-Alanine (C)




pseudo6_N2E2 set1IT029 #29 (gMed=288 rho12=0.246)
Carnitine Hydrochloride (C)




pseudo6_N2E2 set1IT030 #30 (gMed=271 rho12=0.109)
casaminos (C)




pseudo6_N2E2 set1IT031 #31 (gMed=291 rho12=0.282)
Putrescine (C)




pseudo6_N2E2 set1IT032 #32 (gMed=179 rho12=0.318)
D-Glucosamine Hydrochloride (C)




pseudo6_N2E2 set1IT033 #33 (gMed=144 rho12=0.185)
D-Mannose (C)




pseudo6_N2E2 set1IT034 #34 (gMed=260 rho12=0.293)
octanoate (C)




pseudo6_N2E2 set1IT035 #35 (gMed=279 rho12=0.106)
Nickel (II) chloride 1 mM




pseudo6_N2E2 set1IT036 #36 (gMed=254 rho12=0.165)
Cobalt chloride 0.16 mM




pseudo6_N2E2 set1IT037 #37 (gMed=280 rho12=0.144)
sodium fluoride 12.5 mM




pseudo6_N2E2 set1IT038 #38 (gMed=280 rho12=0.130)
Paraquat dichloride 0.03 mg/ml




pseudo6_N2E2 set1IT039 #39 (gMed=284 rho12=0.099)
Thallium(I) acetate 0.004 mg/ml




pseudo6_N2E2 set1IT040 #40 (gMed=296 rho12=0.193)
Cisplatin 0.008 mg/ml




pseudo6_N2E2 set1IT041 #41 (gMed=300 rho12=0.089)
LB




pseudo6_N2E2 set1IT042 #42 (gMed=265 rho12=0.106)
nitrite 10 mM




pseudo6_N2E2 set1IT043 #43 (gMed=285 rho12=0.112)
nitrate 200 mM



pseudo6_N2E2 set1IT044 #44 (gMed=306 rho12=0.122)
Chlorite 0.08 mM




pseudo6_N2E2 set1IT045 #45 (gMed=301 rho12=0.084)
perchlorate 50 mM




pseudo6_N2E2 set1IT046 #46 (gMed=225 rho12=0.011)

Time0




pseudo6_N2E2 set1IT047 #47 (gMed=220 rho12=-0.012)

Time0




pseudo6_N2E2 set1IT048 #48 (gMed=202 rho12=-0.002)


Time0




pseudo6_N2E2 set2IT001 #49 (gMed=179 rho12=0.210)
D-Glucose (C)




pseudo6_N2E2 set2IT002 #50 (gMed=68 rho12=0.258)
D-Fructose (C)




pseudo6_N2E2 set2IT003 #51 (gMed=230 rho12=0.243)
Sucrose (C)




pseudo6_N2E2 set2IT004 #52 (gMed=217 rho12=0.162)
L-Arabinose (C)




pseudo6_N2E2 set2IT005 #53 (gMed=219 rho12=0.313)
D-Xylose (C)




pseudo6_N2E2 set2IT006 #54 (gMed=166 rho12=0.396)
D-Galactose (C)




pseudo6_N2E2 set2IT007 #55 (gMed=234 rho12=0.176)
a-Ketoglutaric (C)




pseudo6_N2E2 set2IT008 #56 (gMed=245 rho12=0.184)
D-Gluconic Acid (C)




pseudo6_N2E2 set2IT009 #57 (gMed=258 rho12=0.212)
D-Lactate (C)




pseudo6_N2E2 set2IT010 #58 (gMed=253 rho12=0.193)
L-Lactate (C)




pseudo6_N2E2 set2IT011 #59 (gMed=240 rho12=0.173)
D,L-Lactate (C)




pseudo6_N2E2 set2IT012 #60 (gMed=289 rho12=0.169)
pyruvate (C)




pseudo6_N2E2 set2IT013 #61 (gMed=275 rho12=0.174)
succinate (C)




pseudo6_N2E2 set2IT014 #62 (gMed=227 rho12=0.303)
propionate (C)




pseudo6_N2E2 set2IT015 #63 (gMed=27 rho12=0.155)
D-Mannitol (C)




pseudo6_N2E2 set2IT016 #64 (gMed=237 rho12=0.083)
4-Hydroxybenzoic Acid (C)




pseudo6_N2E2 set2IT017 #65 (gMed=259 rho12=0.220)
m-Inositol (C)




pseudo6_N2E2 set2IT018 #66 (gMed=246 rho12=0.296)
Glycerol (C)




pseudo6_N2E2 set2IT019 #67 (gMed=278 rho12=0.213)
D-Sorbitol (C)




pseudo6_N2E2 set2IT020 #68 (gMed=278 rho12=0.266)
Tween 20 (C)




pseudo6_N2E2 set2IT021 #69 (gMed=277 rho12=0.150)
L-Malic (C)




pseudo6_N2E2 set2IT022 #70 (gMed=266 rho12=0.299)
L-Histidine (C)




pseudo6_N2E2 set2IT023 #71 (gMed=245 rho12=0.164)
L-Glutamine (C)




pseudo6_N2E2 set2IT025 #73 (gMed=255 rho12=0.291)
L-Alanine (C)




pseudo6_N2E2 set2IT026 #74 (gMed=246 rho12=0.266)
L-Isoleucine (C)




pseudo6_N2E2 set2IT027 #75 (gMed=251 rho12=0.256)
L-Phenylalanine (C)




pseudo6_N2E2 set2IT029 #77 (gMed=261 rho12=0.312)
Carnitine Hydrochloride (C)




pseudo6_N2E2 set2IT030 #78 (gMed=247 rho12=0.133)
casaminos (C)




pseudo6_N2E2 set2IT031 #79 (gMed=257 rho12=0.286)
Putrescine (C)




pseudo6_N2E2 set2IT032 #80 (gMed=103 rho12=0.279)
D-Glucosamine Hydrochloride (C)



pseudo6_N2E2 set2IT033 #81 (gMed=88 rho12=0.178)
D-Mannose (C)




pseudo6_N2E2 set2IT034 #82 (gMed=252 rho12=0.314)
octanoate (C)




pseudo6_N2E2 set2IT035 #83 (gMed=228 rho12=-0.002)

Time0




pseudo6_N2E2 set2IT036 #84 (gMed=222 rho12=-0.002)

Time0




pseudo6_N2E2 set2IT037 #85 (gMed=229 rho12=0.151)
Chloride 500 mM




pseudo6_N2E2 set2IT038 #86 (gMed=254 rho12=0.061)


LB




pseudo6_N2E2 set2IT039 #87 (gMed=238 rho12=0.169)
Benzethonium chloride 0.02 mM




pseudo6_N2E2 set2IT040 #88 (gMed=283 rho12=0.168)
Benzalkonium Chloride 0.016 mg/ml




pseudo6_N2E2 set2IT041 #89 (gMed=251 rho12=0.161)
Aluminum chloride 2 mM




pseudo6_N2E2 set2IT042 #90 (gMed=250 rho12=0.157)
Aluminum chloride 4 mM




pseudo6_N2E2 set2IT043 #91 (gMed=238 rho12=0.097)
benzoic 0.58 mg/ml




pseudo6_N2E2 set2IT044 #92 (gMed=226 rho12=0.275)
Phosphomycin 0.004 mg/ml




pseudo6_N2E2 set2IT045 #93 (gMed=251 rho12=0.085)
Dimethyl Sulfoxide 5 vol%




pseudo6_N2E2 set2IT046 #94 (gMed=215 rho12=0.062)
Dimethyl Sulfoxide 7.5 vol%




pseudo6_N2E2 set2IT047 #95 (gMed=237 rho12=0.096)
LB




pseudo6_N2E2 set2IT048 #96 (gMed=235 rho12=0.198)
Vancomycin 0.12 mg/ml




pseudo6_N2E2 set3IT049 #97 (gMed=240 rho12=0.259)
Vancomycin 0.24 mg/ml




pseudo6_N2E2 set3IT050 #98 (gMed=260 rho12=0.121)
Cephalothin 4 mg/ml




pseudo6_N2E2 set3IT051 #99 (gMed=287 rho12=0.185)
A22 0.002 mg/ml




pseudo6_N2E2 set3IT052 #100 (gMed=240 rho12=0.087)
D-Cycloserine 0.06 mg/ml




pseudo6_N2E2 set3IT053 #101 (gMed=258 rho12=0.131)
D-Cycloserine 0.12 mg/ml




pseudo6_N2E2 set3IT054 #102 (gMed=260 rho12=0.296)
Doxycycline hyclate 0.0001 mg/ml




pseudo6_N2E2 set3IT055 #103 (gMed=279 rho12=0.128)
Ceftazidime 0.15 mg/ml




pseudo6_N2E2 set3IT056 #104 (gMed=289 rho12=0.053)
LB



pseudo6_N2E2 set3IT058 #106 (gMed=257 rho12=0.006)
Time0




pseudo6_N2E2 set3IT059 #107 (gMed=270 rho12=-0.007)
Time0




pseudo6_N2E2 set3IT060 #108 (gMed=249 rho12=0.005)


Time0




pseudo6_N2E2 set3IT061 #109 (gMed=90 rho12=0.220)
Rifampicin 0.003 mg/ml




pseudo6_N2E2 set3IT062 #110 (gMed=337 rho12=0.187)
Chloramphenicol 0.002 mg/ml




pseudo6_N2E2 set3IT063 #111 (gMed=288 rho12=0.173)
Chloramphenicol 0.004 mg/ml




pseudo6_N2E2 set3IT064 #112 (gMed=154 rho12=0.235)
Chloramphenicol 0.008 mg/ml




pseudo6_N2E2 set3IT065 #113 (gMed=273 rho12=0.156)
Tetracycline 0.0001 mg/ml




pseudo6_N2E2 set3IT066 #114 (gMed=258 rho12=0.196)
Tetracycline 0.0002 mg/ml




pseudo6_N2E2 set3IT067 #115 (gMed=269 rho12=0.209)
Spectinomycin 0.0125 mg/ml




pseudo6_N2E2 set3IT068 #116 (gMed=21 rho12=0.128)
Carbenicillin 0.5 mg/ml




pseudo6_N2E2 set3IT069 #117 (gMed=11 rho12=0.041)
Carbenicillin 1 mg/ml




pseudo6_N2E2 set3IT070 #118 (gMed=194 rho12=0.218)
Nalidixic 0.004 mg/ml




pseudo6_N2E2 set3IT071 #119 (gMed=218 rho12=0.217)
Nalidixic 0.008 mg/ml




pseudo6_N2E2 set3IT072 #120 (gMed=243 rho12=0.140)
LB




pseudo6_N2E2 set3IT073 #121 (gMed=87 rho12=0.158)
2-Furfuraldehyde 0.032 vol%




pseudo6_N2E2 set3IT074 #122 (gMed=180 rho12=0.217)
5-Hydroxymethylfurfural 10 mM




pseudo6_N2E2 set3IT075 #123 (gMed=224 rho12=0.121)
Dimethyl Sulfoxide 7.5 vol%




pseudo6_N2E2 set3IT076 #124 (gMed=246 rho12=0.100)
LB




pseudo6_N2E2 set3IT077 #125 (gMed=233 rho12=0.078)
Choline chloride 150 mM




pseudo6_N2E2 set3IT078 #126 (gMed=190 rho12=0.066)
Cholin acetate 40 mM




pseudo6_N2E2 set3IT079 #127 (gMed=325 rho12=0.153)
acetate 80 mM




pseudo6_N2E2 set3IT080 #128 (gMed=235 rho12=0.298)
Choline Lysine 20 mM




pseudo6_N2E2 set3IT081 #129 (gMed=203 rho12=0.205)
L-Lysine 25 mM




pseudo6_N2E2 set3IT082 #130 (gMed=242 rho12=0.179)
LB




pseudo6_N2E2 set3IT083 #131 (gMed=242 rho12=0.237)
copper (II) chloride 3 mM




pseudo6_N2E2 set3IT084 #132 (gMed=246 rho12=0.235)
perchlorate 50 mM




pseudo6_N2E2 set3IT085 #133 (gMed=258 rho12=0.136)
LB




pseudo6_N2E2 set3IT086 #134 (gMed=146 rho12=0.294)
inner cut, LB soft agar motility assay




pseudo6_N2E2 set3IT087 #135 (gMed=113 rho12=0.323)
inner cut, LB soft agar motility assay




pseudo6_N2E2 set3IT088 #136 (gMed=79 rho12=0.300)
inner cut, LB soft agar motility assay




pseudo6_N2E2 set3IT089 #137 (gMed=60 rho12=0.286)
outer cut, LB soft agar motility assay




pseudo6_N2E2 set3IT090 #138 (gMed=129 rho12=0.272)
outer cut, LB soft agar motility assay



pseudo6_N2E2 set3IT091 #139 (gMed=128 rho12=0.273)
outer cut, LB soft agar motility assay




pseudo6_N2E2 set3IT092 #140 (gMed=227 rho12=-0.016)
Time0




pseudo6_N2E2 set3IT093 #141 (gMed=219 rho12=-0.008)

Time0




pseudo6_N2E2 set3IT094 #142 (gMed=218 rho12=-0.003)

Time0




pseudo6_N2E2 set7IT007 #143 (gMed=123 rho12=-0.003)

Time0




pseudo6_N2E2 set7IT008 #144 (gMed=120 rho12=-0.021)

Time0




pseudo6_N2E2 set7IT009 #145 (gMed=149 rho12=-0.019)


Time0




pseudo6_N2E2 set7IT013 #146 (gMed=221 rho12=0.170)
Tetracycline 0.0002 mg/ml




pseudo6_N2E2 set7IT014 #147 (gMed=184 rho12=0.165)
Tetracycline 0.0004 mg/ml




pseudo6_N2E2 set7IT015 #148 (gMed=18 rho12=0.039)
Tetracycline 0.0008 mg/ml




pseudo6_N2E2 set7IT016 #149 (gMed=220 rho12=0.178)
Spectinomycin 0.01 mg/ml




pseudo6_N2E2 set7IT018 #151 (gMed=178 rho12=0.111)
Nickel (II) chloride 0.5 mM




pseudo6_N2E2 set7IT019 #152 (gMed=200 rho12=0.115)
sodium fluoride 15 mM




pseudo6_N2E2 set7IT020 #153 (gMed=180 rho12=0.123)
Chloride 500 mM




pseudo6_N2E2 set7IT021 #154 (gMed=159 rho12=0.187)
Chloride 600 mM




pseudo6_N2E2 set7IT022 #155 (gMed=185 rho12=0.189)
Fusidic 0.3 mg/ml




pseudo6_N2E2 set7IT023 #156 (gMed=141 rho12=0.209)
Fusidic 0.4 mg/ml




pseudo6_N2E2 set7IT024 #157 (gMed=5 rho12=0.112)
Fusidic 0.6 mg/ml




pseudo6_N2E2 set7IT025 #158 (gMed=188 rho12=0.231)
Lomefloxacin 0.0002 mM




pseudo6_N2E2 set7IT026 #159 (gMed=193 rho12=0.074)
Sisomicin 0.0004 mg/ml



pseudo6_N2E2 set7IT027 #160 (gMed=181 rho12=0.139)
Sisomicin 0.0008 mg/ml




pseudo6_N2E2 set7IT028 #161 (gMed=196 rho12=0.161)
Sisomicin 0.0016 mg/ml




pseudo6_N2E2 set7IT029 #162 (gMed=184 rho12=0.093)


LB




pseudo6_N2E2 setAIT067 #163 (gMed=256 rho12=0.164)
L-Arginine (N)




pseudo6_N2E2 setAIT068 #164 (gMed=171 rho12=0.176)
L-Histidine (N)




pseudo6_N2E2 setAIT069 #165 (gMed=128 rho12=0.176)
L-Lysine (N)




pseudo6_N2E2 setAIT070 #166 (gMed=94 rho12=0.123)
L-Aspartic Acid (N)




pseudo6_N2E2 setAIT071 #167 (gMed=173 rho12=0.169)
L-Glutamic (N)




pseudo6_N2E2 setAIT072 #168 (gMed=92 rho12=0.243)
L-Serine (N)




pseudo6_N2E2 setAIT073 #169 (gMed=156 rho12=0.141)
L-Asparagine (N)




pseudo6_N2E2 setAIT074 #170 (gMed=147 rho12=0.150)
L-Glutamine (N)




pseudo6_N2E2 setAIT075 #171 (gMed=146 rho12=0.220)
Glycine (N)




pseudo6_N2E2 setAIT076 #172 (gMed=231 rho12=0.259)
L-Proline (N)




pseudo6_N2E2 setAIT077 #173 (gMed=192 rho12=0.148)
L-Alanine (N)




pseudo6_N2E2 setAIT078 #174 (gMed=200 rho12=0.276)
L-Isoleucine (N)




pseudo6_N2E2 setAIT079 #175 (gMed=264 rho12=0.231)
L-Phenylalanine (N)




pseudo6_N2E2 setAIT081 #177 (gMed=6 rho12=0.079)
D-Serine (N)




pseudo6_N2E2 setAIT083 #179 (gMed=122 rho12=0.245)
Gly-Glu (N)




pseudo6_N2E2 setAIT084 #180 (gMed=198 rho12=0.177)
L-Citrulline (N)




pseudo6_N2E2 setAIT086 #182 (gMed=169 rho12=0.191)
Putrescine (N)




pseudo6_N2E2 setAIT087 #183 (gMed=212 rho12=0.202)
Parabanic Acid (N)




pseudo6_N2E2 setAIT088 #184 (gMed=146 rho12=0.223)
Uridine (N)




pseudo6_N2E2 setAIT089 #185 (gMed=133 rho12=0.297)
Cytidine (N)




pseudo6_N2E2 setAIT090 #186 (gMed=160 rho12=0.247)
Cytosine (N)




pseudo6_N2E2 setAIT091 #187 (gMed=217 rho12=0.116)
Glucuronamide (N)




pseudo6_N2E2 setAIT092 #188 (gMed=190 rho12=0.167)
Ammonium chloride (N)



pseudo6_N2E2 setAIT093 #189 (gMed=204 rho12=0.181)
nitrate (N)




pseudo6_N2E2 setAIT094 #190 (gMed=182 rho12=0.166)
Urea (N)




pseudo6_N2E2 setAIT095 #191 (gMed=161 rho12=0.004)

Time0




pseudo6_N2E2 setAIT096 #192 (gMed=194 rho12=0.004)


Time0




pseudo6_N2E2 set8IT001 #193 (gMed=102 rho12=0.172)
L-Arginine (N)




pseudo6_N2E2 set8IT002 #194 (gMed=163 rho12=0.195)
L-Histidine (N)




pseudo6_N2E2 set8IT003 #195 (gMed=131 rho12=0.182)
L-Lysine (N)




pseudo6_N2E2 set8IT004 #196 (gMed=143 rho12=0.159)
L-Aspartic Acid (N)




pseudo6_N2E2 set8IT005 #197 (gMed=137 rho12=0.115)
L-Glutamic (N)




pseudo6_N2E2 set8IT006 #198 (gMed=72 rho12=0.225)
L-Serine (N)




pseudo6_N2E2 set8IT007 #199 (gMed=179 rho12=0.135)
L-Asparagine (N)




pseudo6_N2E2 set8IT008 #200 (gMed=154 rho12=0.160)
L-Glutamine (N)




pseudo6_N2E2 set8IT009 #201 (gMed=186 rho12=0.224)
Glycine (N)




pseudo6_N2E2 set8IT010 #202 (gMed=198 rho12=0.274)
L-Proline (N)




pseudo6_N2E2 set8IT011 #203 (gMed=188 rho12=0.194)
L-Alanine (N)




pseudo6_N2E2 set8IT012 #204 (gMed=214 rho12=0.282)
L-Isoleucine (N)




pseudo6_N2E2 set8IT013 #205 (gMed=221 rho12=0.268)
L-Phenylalanine (N)




pseudo6_N2E2 set8IT014 #206 (gMed=18 rho12=0.034)
L-tyrosine (N)




pseudo6_N2E2 set8IT015 #207 (gMed=23 rho12=0.186)
D-Serine (N)




pseudo6_N2E2 set8IT016 #208 (gMed=241 rho12=0.200)
D-Alanine (N)




pseudo6_N2E2 set8IT017 #209 (gMed=77 rho12=0.202)
Gly-Glu (N)




pseudo6_N2E2 set8IT018 #210 (gMed=205 rho12=0.231)
L-Citrulline (N)




pseudo6_N2E2 set8IT019 #211 (gMed=230 rho12=0.088)
casaminos (N)




pseudo6_N2E2 set8IT020 #212 (gMed=222 rho12=0.262)
Putrescine (N)




pseudo6_N2E2 set8IT021 #213 (gMed=194 rho12=0.212)
Parabanic Acid (N)




pseudo6_N2E2 set8IT022 #214 (gMed=210 rho12=0.204)
Uridine (N)




pseudo6_N2E2 set8IT023 #215 (gMed=175 rho12=0.307)
Cytidine (N)




pseudo6_N2E2 set8IT024 #216 (gMed=176 rho12=0.257)
Cytosine (N)




pseudo6_N2E2 set8IT025 #217 (gMed=191 rho12=0.155)
Glucuronamide (N)




pseudo6_N2E2 set8IT026 #218 (gMed=197 rho12=0.179)
Ammonium chloride (N)




pseudo6_N2E2 set8IT027 #219 (gMed=202 rho12=0.193)
nitrate (N)




pseudo6_N2E2 set8IT028 #220 (gMed=206 rho12=0.248)
Urea (N)




pseudo6_N2E2 set8IT029 #221 (gMed=7 rho12=0.126)
Trisodium citrate (C)




pseudo6_N2E2 set8IT030 #222 (gMed=7 rho12=0.070)
4-Hydroxybenzoic Acid (C)




pseudo6_N2E2 set8IT031 #223 (gMed=220 rho12=0.201)
L-Asparagine (C)




pseudo6_N2E2 set8IT032 #224 (gMed=182 rho12=0.264)
L-Leucine (C)




pseudo6_N2E2 set8IT033 #225 (gMed=165 rho12=0.220)
Trisodium citrate (C)




pseudo6_N2E2 set8IT034 #226 (gMed=180 rho12=0.158)
4-Hydroxybenzoic Acid (C)



pseudo6_N2E2 set8IT035 #227 (gMed=175 rho12=0.136)
D-Trehalose (C)




pseudo6_N2E2 set8IT036 #228 (gMed=152 rho12=0.193)
L-Leucine (C)




pseudo6_N2E2 set8IT037 #229 (gMed=202 rho12=0.003)

Time0




pseudo6_N2E2 set8IT038 #230 (gMed=177 rho12=0.003)


Time0




pseudo6_N2E2 set8IT039 #231 (gMed=8 rho12=0.083)
Trisodium citrate (C)




pseudo6_N2E2 set8IT040 #232 (gMed=8 rho12=0.080)
4-Hydroxybenzoic Acid (C)




pseudo6_N2E2 set8IT041 #233 (gMed=183 rho12=0.217)
L-Asparagine (C)




pseudo6_N2E2 set8IT042 #234 (gMed=174 rho12=0.263)
L-Leucine (C)




pseudo6_N2E2 set8IT043 #235 (gMed=187 rho12=0.205)
Trisodium citrate (C)



pseudo6_N2E2 set8IT044 #236 (gMed=215 rho12=0.186)
4-Hydroxybenzoic Acid (C)



pseudo6_N2E2 set8IT045 #237 (gMed=161 rho12=0.161)
D-Trehalose (C)



pseudo6_N2E2 set8IT046 #238 (gMed=173 rho12=0.212)
L-Leucine (C)

